A new industry for populated regions

Expanded review: staff psychology, sanitation, health, wages, employment stability, and occupational rotation

PROPOSAL: Create a licensed, regional mobile hygiene subcontractor sector serving commercial establishments, with risk-scaled routine sanitation and rapid biological-spill response. Existing public-health departments remain independent regulators.

A. Why role separation may matter

Retail, hospitality and restaurant employees may be required to clean urine, feces or vomit left by clients and then resume customer-facing work. The potential burdens include disgust, role conflict, service interruptions, perceived disrespect and avoidable infection-control transitions. Direct experimental evidence on the proposed separation is limited; it should be evaluated rather than assumed.

B. Three workplace systems to evaluate

1. **Dedicated in-house janitorial staff.**
   Continuity and familiar routines, but still requires fair pay, personal protective equipment, supervisory support and appropriate staffing.

2. **Retail/food-service personnel performing restroom cleanup.**
   Potential cross-role stress and task switching. Proper handwashing and safe cleanup remain legally important; a general legal ban on cross-role cleaning does not exist in the FDA model code.

3. **Proposed mobile hygiene subcontractor.**
   Regional economies of scale and specialist response, but outsourcing can lower wages and training access unless employment protections and service-level requirements are enforced.

C. Existing evidence, with important limits

Hotel-frontline research reports associations between perceived work dirtiness / stigma and poorer proactive service [1]. A Norwegian cleaning-worker survey found 17.5% at a psychological-distress threshold versus 8.4% among working women; managerial and coworker support were associated with outcomes [2]. OECD evidence shows contracted cleaners often earn less than in-house cleaners [3]. These findings do not prove fecal exposure causes mental illness or crime.

Public health and the contractor network

Scope for municipal licensing, technical inspections, and workforce protections

D. Priority occupational safeguards

Biological incidents.
Trained staff respond to urine, fecal and vomit contamination; apply task-specific PPE, safe disinfection, changeover controls and reporting. Ordinary waste without visible blood does not automatically trigger every OSHA bloodborne-pathogen requirement [4].

Food preparation.
Prefer not assigning active food handlers to fecal cleanup during the same shift. Continue mandatory hygiene practices and illness exclusion. CDC observational work found proper handwashing at only about one third of indicated opportunities [5].

Chemicals and ergonomic load.
Prevent hazardous cleaning-product mixtures, respiratory irritation, slips, repetitive strain and unsafe lifting through training, ventilation, tools and staffing [6].

Psychosocial safety.
Protect worker autonomy, predictable scheduling, respectful supervision, peer contact, anti-harassment systems, counseling access and training. EU-OSHA identifies these as important cleaning-sector issues [7].

A review of 65 studies on sewage and sanitation workers reported suggestive excess gastrointestinal and respiratory illness, but substantial risk of bias [14]. These exposures are not the same as cleaning commercial toilets.

E. What the mobile network actually does

Mobile dispatch and commercial cleaning crews; continuously assigned porters at high-traffic sites; immediate spill response; scheduled deep cleaning behind refrigeration equipment and accessible panels; qualified hood/exhaust crews; grease traps and drains; integrated pest management and records. Technical work, dismantling and hazardous operations require the proper competent specialist. Relevant existing models include FDA Food Code facility requirements [8], NFPA 96 exhaust-system standards [9] and EPA grease-management guidance [10].

F. Regulation and independence

Businesses should document sanitation service proportional to footfall, occupancy, hours and risk rather than employ a full-time porter regardless of need. Independent inspectors verify compliance; contractors should not be allowed to certify the adequacy of their own paid work. Require incident response deadlines, inspection trails, public complaint channels, and penalties for falsified logs.

New compensation and term-limit proposal

User-proposed legislative provisions — figures and cutoff lengths are not established scientific standards

G. Pay: three to six times the applicable minimum wage

For designated high-exposure hygiene assignments, set guaranteed hourly compensation at 3x-6x the highest applicable statutory or binding contractual minimum wage. Use the public-facing CLIENT COMPANY'S average inflation-adjusted net-profit margin from the preceding four completed fiscal years. Example proposed brackets: 3x at <=5% margin; 4x above 5-10%; 5x above 10-20%; 6x above 20%. Thresholds are illustrative policy choices requiring feasibility analysis.

At an ILLUSTRATIVE $15 hourly minimum wage, gross employee compensation becomes $45, $60, $75 or $90 per hour. Annual gross wages at 2,080 paid hours would be $93,600, $124,800, $156,000 or $187,200, before payroll overhead and benefits. For comparison, BLS reports a US janitor median wage of $17.71 per hour in May 2025 [11].

Prevent profit shifting and strategic losses through related-party consolidation, audited historic accounts, transparent tiers and anti-avoidance rules. Require 3x floor for new or low-profit firms, with public transitional assistance when justified. The contracted vendor must pay the worker the full premium. Proportional cost and small-business impacts should be modeled before a mandate.

H. Employment terms: four two-year terms maximum

Restrict HIGH-EXPOSURE restroom-biowaste handling to 24 months per term, up to four terms (eight career years). Between terms require at least 24 months outside designated high-exposure work. Earliest full timeline: Years 1-2 work; 3-4 reassignment; 5-6 work; 7-8 reassignment; 9-10 work; 11-12 reassignment; 13-14 work.

This rule should NOT cause two-year unemployment or cap all janitorial employment. Protect seniority, health benefits, pension credits, paid training and alternate placements. Medical exposure limits are not established at two years. Before enacting the rule, evaluate legality, equality, fixed-term safeguards [12], worker choice, labor shortages, and whether risk-based reassignment is more effective.

I. Pilot before nationwide adoption

Match establishments across three work models; observe per-shift, weekly, monthly, six-month and 12-24-month outcomes. Track contamination incidents, food-contact task transitions, psychological safety, service ratings, injuries, sick leave, job retention, audits, costs and complaints. Do not infer increased criminal offending from cleaner demographics or fecal exposure: FBI crime incident records do not capture workers' exposure histories [13].

Sources and research distinctions

Primary institutional evidence and peer-reviewed findings; abbreviated numbered reference guide

[1] Tourism Management (2024), occupational stigma, dirty work & hotel frontline service.
https://doi.org/10.1016/j.tourman.2024.104932

[2] Gamperiene et al. (2006), Norway cleaner psychological distress observational survey.
https://pmc.ncbi.nlm.nih.gov/articles/PMC1636641/

[3] OECD Employment Outlook 2021, outsourced versus in-house cleaners.
https://www.oecd.org/en/publications/oecd-employment-outlook-2021_5a700c4b-en.html

[4] OSHA (1992), hotel cleaning and bloodborne pathogen exposure interpretation.
https://www.osha.gov/laws-regs/standardinterpretations/1992-12-04

[5] CDC EHS-Net (2026 review), observed restaurant handwashing practices.
https://www.cdc.gov/restaurant-food-safety/php/practices/handwashing.html

[6] OSHA, protections for workers who use cleaning chemicals.
https://www.osha.gov/cleaning-industry

[7] EU-OSHA (2025), measures to prevent psychosocial risks to cleaners.
https://oshwiki.osha.europa.eu/en/themes/measures-prevent-psychosocial-risks-cleaners

[8] FDA Food Code 2022, model requirements for cleanliness and physical facilities.
https://www.fda.gov/food/fda-food-code/food-code-2022

[9] NFPA 96 (2024), commercial cooking exhaust and fire safety.
https://www.nfpa.org/es/product/nfpa-96-standard/p0096code/nfpa-96-standard-for-ventilation-control-and-fire-protection-of-commercial-cooking-operations-2024/9624

[10] EPA National Pretreatment Program, fats/oils/grease controls.
https://www.epa.gov/system/files/documents/2021-07/pretreatment_foodservice_fs.pdf

[11] BLS 2025 janitors median pay and BLS CPS 2025 occupational demographics.
https://www.bls.gov/ooh/building-and-grounds-cleaning/janitors-and-building-cleaners.htm

[12] EU Directive 1999/70/EC, fixed-term contracts and worker protections.
https://employment-social-affairs.ec.europa.eu/policies-and-activities/rights-work/labour-law/working-conditions/fixed-term-work_en

[13] FBI NIBRS crime data fields and limitations.
https://www.fbi.gov/how-we-can-help-you/more-fbi-services-and-information/ucr/nibrs

[14] Oza et al. (2022), systematic review of sanitation-worker health risks.
https://pubmed.ncbi.nlm.nih.gov/34942466/

THREE EMPLOYMENT STRUCTURES

Research comparison: risks and opportunities. This matrix is a policy framework, not measured treatment effects.

A In-house janitorial team

- Established routines and team continuity
- Cleaner workload and recognition still matter
- May cost more for small sites

B Shared staff cleaning

- No dedicated cleanup specialist
- Retail / hospitality work interrupted
- Potential food-task crossover

C Mobile hygiene contractor

- Regional routes + rapid response
- Specialized training and audit trails
- Outsourcing may worsen wages without controls

Cleaner wellbeing: support, choice, fair pay


Food hygiene: handwashing and task barriers

Customers: service continuity and safer premises

Existing research does NOT establish C as superior. A controlled comparison is required.

WORKFORCE DEMOGRAPHICS / UNITED STATES

BLS Current Population Survey (2025), detailed occupations; percentages describe workers, NOT contamination or crime.



Employed (thousands): Janitors 2,341 | Housekeeping 1,392 | Food prep 930 | Waiters 1,754 | Retail 2,661


Sex and ethnicity categories overlap; do NOT total the two bars. Race and ethnicity are not causal predictors.

2025 CPS excludes October; annual figures represent 11 months and are not fully comparable with full-year samples.

SOURCE: https://www.bls.gov/cps/cpsaat11.htm

CLEANERS & PSYCHOLOGICAL DISTRESS

Observed historical Norwegian study (1999 data; published 2006), NOT a causal or job-role comparative experiment.



354 female cleaners completed HSCL-25; 17.5% reached the study distress threshold.

Leadership and coworker relationships were associated with mental-health outcomes.

NOT ESTABLISHED: that feces caused distress, that crime increased, or that all cleaners face the same risk.


External comparison is observational, historical, and subject to sampling and confounding.

SOURCE: Gamperiene et al. 2006, J Occup Med Toxicol, PMCID PMC1636641.
https://pmc.ncbi.nlm.nih.gov/articles/PMC1636641/

FOOD SAFETY: OBSERVED HANDWASHING

CDC EHS-Net observations. Not a study of toilets or staff who clean feces.

Workers washed their hands at appropriate observed opportunities



Average: about nine handwashing opportunities per hour and only 2-3 actual handwashings.


CDC recommends clean hands and distinct task controls. A food handler can be trained to clean a restroom; the proposed restriction is an additional precaution, not a blanket legal ban already in force.

Fecal contamination and norovirus infection warrant effective cleaning, handwashing and exclusion of sick workers.

SOURCE: https://www.cdc.gov/restaurant-food-safety/php/practices/handwashing.html

PROPOSED COMPENSATION / 3x TO 6x

Illustrative, NOT adopted law. Example assumes a local minimum wage of $15 per hour.



Tiers are a drafted policy example based on the CLIENT BUSINESS's four-year average net profit margin.


Client pays; mobile contractor passes through full worker wage. New businesses need a provisional audited tier.

Figures are gross wage only: benefits, travel, insurance, relief coverage, overhead and taxation add cost.

Benchmark: US janitors median hourly wage $17.71 (May 2025), BLS. Profit-tier breakpoints are NOT empirical.

CAREER ROTATION / HIGH-EXPOSURE WORK

User-proposed cap: four terms maximum; each 2 years of exposure work; 2 years minimum away between terms.



8 maximum exposure-years across at least 14 calendar years in the earliest continuous sequence.

During breaks: paid alternate roles, training or reassignment. No forced unemployment or loss of benefits.


Limit should apply to documented high-exposure feces / sewage handling, NOT every type of janitorial work.

IMPORTANT: no established medical evidence says two years is the safe biological exposure cutoff.

Legal review required: labor rights, fixed-term contracts, disability accommodation and discrimination.

REGIONAL MOBILE SERVICE NETWORK

Operational design with continuous on-site coverage where needed and mobile specialty crews.



PUBLIC REGULATOR: independent inspections, licensing and enforcement; contractors cannot certify their own compliance.

Proposed model: fast spill response + regular rounds + scheduled specialist work + verifiable electronic records.

EVIDENCE AND RESEARCH GAPS

Do not confuse occupational demographics with offending, or recommendations with measured effects.

SHIFT	Waste cleanups, food duty switches, PPE and hand hygiene
WEEK	Exposure logs, work orders, response time, complaints
MONTH	Disgust, job satisfaction, support, fatigue and job control
6 MONTHS	Sick leave, turnover, inspection violations, customer service
12-24 MONTHS	Matched-site study: in-house / shared-duty / mobile hygiene


CRIME: FBI NIBRS captures offender demographics and incident circumstances, but not workplace fecal-exposure history.

Consequently NO reliable exposure-specific crime rate or causal inference is available from NIBRS.

SANITATION WORKERS / HEALTH RISK EVIDENCE

2022 systematic review: sewage / fecal-sludge sanitation workers, NOT representative of restaurant restroom cleaners.

HEPATITIS A | POOLED ODDS RATIO = 2.09



95% PREDICTION INTERVAL: 1.39-3.00 (12 studies pooled)

REVIEW: 65 studies (9 cohorts and 56 cross-sectional); almost all high risk of bias.

Evidence suggests increased gastroenteritis and respiratory risks; mental/social findings remain uncertain.

DO NOT GENERALIZE this pooled sewage-worker estimate to retail or restaurant janitors.

SOURCE: Oza et al. (2022), Int J Hyg Environ Health, PMID 34942466.